ATTY DOCKET NO Form PTO 1449 US Department of SERIAL NO. Commerce Patent P-IX 3458 09/434,870 and Trademark ATTAKU TO APPLICANT: Huse et al. Office **GROUP:** INFORMATION DISCLOSURE FILING DATE: 1643 STATEMENT BY APPLICANT November 4, 1999

U.S. PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE
Ma	5,223,409	6/29/93	Ladner et al.	455	69.7	3/1/91
	5,225,539	7/6/93	Winter	530	3 87.7 3	10/25/91
	5,264,563	11/23/93	Huse	-536-	-25. 3	12/14/92
	5,585,089	12/17/96	Queen et al.	424	13371	6/7/95
	5,693,762	12/2/97	Queen et al.	- 530	-387⇒ 3	6/7/95
	5,723,323	3/3/98	Kauffman et al.	_ 135	1 72, 3	12/2/94
	5,814,476	9/29/98	Kauffman et al.	435	69:1	6/5/95
	5,817,483	10/6/98	Kauffman et al.	43 5	69.1	6/5/95
V	5,824,514	10/20/98	Kauffman et al.	-435	91.1	6/5/95
LAS	5,976,862	11/2/99	Kauffman et al.	-43 5	252. 3	6/5/95

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)
210	0 451 216B1	10/16/91	European	C12P2 1	-00-	
1	0 682 040B1	11/15/95	European	C07KI6	46.	
1	0 939 127 A2	09/01/99	European	C12N 15	13	
LRA						,

$\mathcal{M}_{\mathcal{A}}$	
EXAMINER TO TO THE SECOND SECO	DATE CONSIDERED 12/12/00

			MIENT'S AND S	
Form PTO 1	1449	Commerce Patent	ATTY DOCKET NO: P-IX 3458	SERIAL NO. 09/434,870
		and Trademark Office	APPLICANT: Huse et al.	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT			FILING DATE: November 4, 1999	GROUP: 1643 2 0F4

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

2110	Chothia and Lesk, "Canonical structures for the hypervariable regions of immunoglobulins," <u>J. Mol. Biol.</u> 196:901-917 (1987).
1	Chothia et al., "Conformations of immunoglobulin hypervariable regions," Nature 342:877-883 (1989)
	Foote and Winter, "Antibody framework residues affecting the conformation of the hypervariable loops," <u>J. Mol. Biol.</u> 224:487-499 (1992).
Glaser et al., "Antibody engineering by codon-based mutagenesi filamentous phage vector system," J. Immunology 149:3903-3913 (
	Jones et al., "Replacing the complementarity-determining regions in a human antibody with those from a mouse," Nature 321:522-525 (1986).
	Kabat et al., "Unusual distributions of amino acids in complementarity-determining (hypervariable) segments of heavy and light chains of immunoglobulins and their possible roles in specificity of antibody-combining sites," J. Biol. Chem. 252:6609-6616 (1977).
4	Kabat et al., "Sequences of proteins of immunological interest," (5th Ed) Washington DC: United States Department of Health and Human Services (1991). INTRODUCTION & LEEGNERCES TO INTRODUCTION
LAN	Kristensson et al., "Humanization of a murine antibody against cryptococcus neoformans polysaccharide using a novel approach," <u>Vaccines 95</u> , 39-43 Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1995).

EXAMINER	The MO	DATE CONSIDERED 12/14/00

ATTY DOCKET NO:
P-IX 3458

APPLICANT: Huse et al.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

US Department of

Commerce Patent

and Trademark

Office

Form PTO 1449

FILING DATE: November 4, 1999 GROUP-//ED3 OF 1.643

·	TECHY TO TOUR
169	MacCallumm et al., "Antibody-antigen interactions: contact analysis and binding site topography," J. Mol. Biol. 262:732-745 (1996).
	Padlan, E.A., "A possible procedure for reducing the immunogenicity of antibody variable domains while preserving their ligand-binding properties," Mol. Immunol. 28:489-498 (1991).
	Padlan, E.A., "Anatomy of the antibody molecule," Mol. Immunol. 31:169-217 (1994).
	Rader et al., "A phage display approach for rapid antibody humanization: Designed combinatorial V gene libraries," Proc. Natl. Acad. Sci. USA 95:8910-8915 (1998).
	Riechmann et al., "Reshaping human antibodies for therapy," <u>Nature</u> 332:323-327 (1988).
	Rosok et al., "A combinatorial library strategy for the rapid humanization of anticarcinoma BR96 Fab," <u>J. Biol. Chem.</u> 271:22611-22618 (1996).
	Schier et al., "Isolation of picomolar affinity anti-c-erbB-2 single-chain Fv by molecular evolution of the complementarity determining regions in the center of the antibody binding site," J. Mol. Biol. 263:551-567 (1996).
	Schreiber and Fersht, "Energetics of protein-protein interactions: Analysis of the barnase-barstar interface by single mutations and double mutant cycles," J. Mol. Biol. 248:478-486 (1995).
4	Singer et al., "Optimal humanization of 1B4, an anti-CD 18 murine monoclonal antibody, is achieved by correct choice of human V-region framework sequences," <u>J. Immunol.</u> 150:2844-2857 (1993).
100	Studnicka et al., "Human-engineered monoclonal antibodies retain full specific binding activity by preserving non-CDR complementarity-modulating residues," Protein Eng. 7:805-814 (1994).

	Λ	
EXAMINER	- The MI)	DATE CONSIDERED 12/12/00



Form PTO 1449 US Department of Commerce Patent	ATTY DOCKET NO: P-IX 3458	SERIAL NO. 09/434,870
and Trademark Office	APPLICANT: Huse et al.	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: November 4, 1999	GROUP: 4 07 4 1643

Tyto	Thompson et al., "Affinity maturation of a high-affinity human monoclonal antibody against the third hypervariable loop of human immunodeficiency virus: Use of phage display to improve affinity and broaden strain reactivity," J. Mol. Biol. 256:77-88 (1996).
Ì	Watkins et al., "Determination of the relative affinities of antibody fragments expressed in <i>Escherichia coli</i> by enzyme-linked immunosorbent assay," Anal. Biochem. 253:37-45 (1997).
	Watkins et al., "Discovery of human antibodies to cell surface antigens by capture lift screening of phage-expressed antiboty libraries," Anal.Biochem. 256:169-177 (1998).
4	Wu et al., "Stepwise in vitro affinity maturation of Vitaxin, and $\alpha_{\nu}\beta_{3}$ -specific humanized mAb," Proc. Natl. Acad. Sci. USA 95:6037-6042 (1998).
LM	Yelton et al., "Affinity maturation of the BR96 anti-carcinoma antibody by codon-based mutagenesis," J. Immunol. 155:1994-2004 (1995).

EXAMINER	DATE CONSIDERED 17/13/00